L Number	Hits	Search Text	DB	Time stamp
3	359	712/1-3.ccls.	USPAT;	2001/11/13 13:56
	-	1	US-PGPUB	2001/11/15 13.50
4	684	712/10.ccls. or 712/17.ccls. or	USPAT;	2001/11/13 13:44
<u> </u>		712/23.ccls.	US-PGPUB	
5	262	712/35-36.ccls.	USPAT;	2001/11/13 13:44
			US-PGPUB	
6	1261	712/1-3.ccls. or (712/10.ccls. or	USPAT;	2001/11/13 13:56
		712/17.ccls. or 712/23.ccls.) or	US-PGPUB	,,
		712/35-36.ccls.		
7	655	synchron\$6 near20 ((common or shar\$3)	USPAT;	2001/11/13 15:38
		near5 (memory or storage))	US-PGPUB	2002, 22, 20 20:00
8	275126	(signal or matrix or array or vector)	USPAT:	2001/11/13 14:44
		near5 process\$3 or dsp	US-PGPUB	
9	11416	(scalar or superscalar or protocol) near5	USPAT;	2001/11/13 14:09
İ		process\$3	US-PGPUB	
10	1415	((signal or matrix or array or vector)	USPAT;	2001/11/13 14:09
ĺ		near5 process\$3 or dsp) with ((scalar or	US-PGPUB	
		superscalar or protocol) near5 process\$3)		
11	14	(((signal or matrix or array or vector)	USPAT;	2001/11/13 14:10
		near5 process\$3 or dsp) with ((scalar or	US-PGPUB	
		superscalar or protocol) near5 process\$3		
)) and (synchron\$6 near20 ((common or	,	
		shar\$3) near5 (memory or storage)))		
12	251562	(signal or vector) near5 process\$3 or dsp	USPAT;	2001/11/13 14:46
			US-PGPUB	
13	251562	((signal or vector) near5 process\$3) or	USPAT;	2001/11/13 14:47
		dsp	US-PGPUB	
15	5	((synchron\$6 near20 ((common or shar\$3)	USPAT;	2001/11/13 14:49
		near5 (memory or storage))) and ((scalar	US-PGPUB	
		or superscalar or protocol) near5		
		process\$3) and (((signal or vector) near5		
		process\$3) or dsp)) and (712/1-3.ccls. or		
		(712/10.ccls. or 712/17.ccls. or		
		712/23.ccls.) or 712/35-36.ccls.)		
14	72	(synchron\$6 near20 ((common or shar\$3)	USPAT;	2001/11/13 14:54
		near5 (memory or storage))) and ((scalar	US-PGPUB	
		or superscalar or protocol) near5	1 '	
		process\$3) and (((signal or vector) near5	1	
		process\$3) or dsp)		
16	28	((synchron\$6 near20 ((common or shar\$3)	USPAT;	2001/11/13 15:43
		near5 (memory or storage))) and ((scalar	US-PGPUB	
		or superscalar or protocol) near5		·
		<pre>process\$3) and (((signal or vector) near5</pre>		
1.5		process\$3) or dsp)) and @ad<19910627		
17	14	, , , , , , , , , , , , , , , , , , ,	USPAT;	2001/11/13 15:43
		near5 (memory or storage))) and ((scalar	US-PGPUB	
		or superscalar or protocol) near5		
		<pre>process\$3) and (((signal or vector) near5</pre>		
		process\$3) or dsp)) and @rlad<19910627		
18	37	(((synchron\$6 near20 ((common or shar\$3)	USPAT;	2001/11/13 14:57
		near5 (memory or storage))) and ((scalar	US-PGPUB	
		or superscalar or protocol) near5		
		process\$3) and (((signal or vector) near5		
		process\$3) or dsp)) and @ad<19910627) or		
		(((synchron\$6 near20 ((common or shar\$3)		
		near5 (memory or storage))) and ((scalar		
		or superscalar or protocol) near5		
	i	process\$3) and (((signal or vector) near5		
		process\$3) or dsp)) and @rlad<19910627)	<u> </u>	

19	2	((((synchron\$6 near20 ((common or shar\$3) near5 (memory or storage))) and ((scalar	USPAT; US-PGPUB	2001/11/13 14:58
		or superscalar or protocol) near5		
		process\$3) and (((signal or vector) near5 process\$3) or dsp)) and @ad<19910627) or		
		(((synchron\$6 near20 ((common or shar\$3)		
		near5 (memory or storage))) and ((scalar		
		or superscalar or protocol) near5 process\$3) and (((signal or vector) near5		
		process\$3) or dsp)) and @rlad<19910627))		
		and (712/1-3.ccls. or (712/10.ccls. or		,
		712/17.ccls. or 712/23.ccls.) or		
20	35	712/35-36.ccls.) ((((synchron\$6 near20 ((common or shar\$3)	USPAT;	2001/11/13 15:25
		near5 (memory or storage))) and ((scalar	US-PGPUB	2001/11/15 13.25
		or superscalar or protocol) near5		
		process\$3) and (((signal or vector) near5 process\$3) or dsp)) and @ad<19910627) or		
		(((synchron\$6 near20 ((common or shar\$3)		
		near5 (memory or storage))) and ((scalar		
		or superscalar or protocol) near5		
		<pre>process\$3) and ((signal or vector) near5 process\$3) or dsp)) and @rlad<19910627))</pre>		
		not (((((synchron\$6 near20 ((common or		
	1	shar\$3) near5 (memory or storage))) and		
		((scalar or superscalar or protocol) near5 process\$3) and (((signal or vector) near5		
	1	process\$3) or dsp)) and @ad<19910627) or		
		(((synchron\$6 near20 ((common or shar\$3)		
		near5 (memory or storage))) and ((scalar or superscalar or protocol) near5		
		process\$3) and (((signal or vector) near5		
		process\$3) or dsp)) and @rlad<19910627))		
	İ	and (712/1-3.ccls. or (712/10.ccls. or		
		712/17.ccls. or 712/23.ccls.) or 712/35-36.ccls.))		
21	1 1		USPAT	2001/11/13 15:09
22 23	38810	chauvel gerard\$.in. or aussedat	USPAT;	2001/11/13 15:09 2001/11/13 15:30
23	30010	francis\$.in. or calippe pierre\$.in.	US-PGPUB	2001/11/13 13:30
24	6	(chauvel gerard\$.in. or aussedat	USPAT;	2001/11/13 15:29
		francis\$.in. or calippe pierre\$.in.) and	US-PGPUB	
		<pre>(synchron\$6 near20 ((common or shar\$3) near5 (memory or storage)))</pre>		
25	1	((chauvel gerard\$.in. or aussedat	USPAT;	2001/11/13 15:29
		francis\$.in. or calippe pierre\$.in.) and	US-PGPUB	
		<pre>(synchron\$6 near20 ((common or shar\$3) near5 (memory or storage)))) and (((signal</pre>		
		or vector) near5 process\$3) or dsp) and		
		((scalar or superscalar or protocol) near5		
26	28	<pre>process\$3) chauvel-gerard\$.in. or</pre>	USPAT;	2001/11/13 15:30
20	20	aussedat-francis\$.in. or	US-PGPUB	2001/11/13 13:30
		calippe-pierre\$.in.		
28	0	<pre>(chauvel-gerard\$.in. or aussedat-francis\$.in. or</pre>	USPAT; US-PGPUB	2001/11/13 15:31
		calippe-pierre\$.in.) and (synchron\$6	US-FGFUB	
		near20 ((common or shar\$3) near5 (memory		
		or storage))) and ((scalar or superscalar		
		or protocol) near5 process\$3) and (((signal or vector) near5 process\$3) or		
		dsp)		
29	1	(chauvel-gerard\$.in. or	USPAT;	2001/11/13 15:33
		<pre>aussedat-francis\$.in. or calippe-pierre\$.in.) and (synchron\$6</pre>	US-PGPUB	
		near20 ((common or shar\$3) near5 (memory		
		or storage)))		1 1

30	0	(chauvel-gerard\$.in. or	USPAT;	2001/11/13 15:33
		aussedat-francis\$.in. or	US-PGPUB	į
		calippe-pierre\$.in.) and (synchron\$6		
		near20 ((common or shar\$3) near5 (memory		
		or storage))) and ((scalar or superscalar		
		or protocol) near5 process\$3)		
31	4	(chauvel-gerard\$.in. or	USPAT;	2001/11/13 15:37
		aussedat-francis\$.in. or	US-PGPUB	
		calippe-pierre\$.in.) and ((scalar or		•
		<pre>superscalar or protocol) near5 process\$3)</pre>		
32	4	(chauvel-gerard\$.in. or	USPAT;	2001/11/13 15:37
		aussedat-francis\$.in. or	US-PGPUB	
		calippe-pierre\$.in.) and ((scalar or	1	
		superscalar or protocol) near5 process\$3)		
		and (((signal or vector) near5 process\$3)		
		or dsp)		
33	704	synchron\$6 WITH ((common or shar\$3) near5	USPAT;	2001/11/13 15:39
		(memory or storage))	US-PGPUB	
34	1648	synchron\$6 same ((common or shar\$3) near5	USPAT;	2001/11/13 15:41
		(memory or storage))	US-PGPUB	
35	2183	synchron\$8 same ((common or shar\$3) near5	USPAT;	2001/11/13 15:42
		(memory or storage))	US-PGPUB	
36	244	(synchron\$8 same ((common or shar\$3) near5	USPAT;	2001/11/13 15:42
		(memory or storage))) and ((scalar or	US-PGPUB	
		<pre>superscalar or protocol) near5 process\$3)</pre>		
		and (((signal or vector) near5 process\$3)		
		or dsp)	İ	
37	63	((synchron\$8 same ((common or shar\$3)	USPAT;	2001/11/13 15:43
		near5 (memory or storage))) and ((scalar	US-PGPUB	
		or superscalar or protocol) near5		
		process\$3) and (((signal or vector) near5		
		process\$3) or dsp)) and @ad<19910627		
39	43	((synchron\$8 same ((common or shar\$3)	USPAT;	2001/11/13 15:43
		near5 (memory or storage))) and ((scalar	US-PGPUB	
1		or superscalar or protocol) near5		
		process\$3) and (((signal or vector) near5		
40		process\$3) or dsp)) and @rlad<19910627	WODAE.	0001/11/12 15 11
40	91	(((synchron\$8 same ((common or shar\$3)	USPAT;	2001/11/13 15:44
		near5 (memory or storage))) and ((scalar	US-PGPUB	
		or superscalar or protocol) near5		
		process\$3) and (((signal or vector) near5	ļ	
		process\$3) or dsp)) and @ad<19910627) or		
	1	(((synchron\$8 same ((common or shar\$3)		
		near5 (memory or storage))) and ((scalar		
		or superscalar or protocol) near5 process\$3) and (((signal or vector) near5	1	
41	5	process\$3) or dsp)) and @rlad<19910627) (712/1-3.ccls. or (712/10.ccls. or	IICDATE.	2001/11/13 15:48
4T) 5	712/17.ccls. or (/12/10.ccls. or 712/17.ccls.) or	USPAT; US-PGPUB	2001/11/13 15:48
	1	712/17.ccis. or 712/23.ccis.) or 712/35-36.ccls.) and (((synchron\$8 same	US-FGFUB	
		((common or shar\$3) near5 (memory or		
	ļ	storage))) and ((scalar or superscalar or		
		protocol) near5 process\$3) and (((signal		
		or vector) near5 process\$3) or dsp)) and	1	
		@ad<19910627) or (((synchron\$8 same		
		((common or shar\$3) near5 (memory or		
		storage))) and ((scalar or superscalar or		
		protocol) near5 process\$3) and (((signal		
		or vector) near5 process\$3) or dsp)) and		
		@rlad<19910627))		
 	L	GT + CC + C + C + C + C + C + C + C + C +	L	l

42	54	((((synchron\$8 same ((common or shar\$3)	USPAT;	2001/11/13 16:12
		near5 (memory or storage))) and ((scalar	US-PGPUB	
		or superscalar or protocol) near5		
		process\$3) and (((signal or vector) near5		
		process\$3) or dsp)) and @ad<19910627) or		<u>.</u>
		(((synchron\$8 same ((common or shar\$3)		
		near5 (memory or storage))) and ((scalar		
		or superscalar or protocol) near5		
		process\$3) and (((signal or vector) near5	į	
		process\$3) or dsp)) and @rlad<19910627))		
	•	not ((((synchron\$6 near20 ((common or		
		shar\$3) near5 (memory or storage))) and	•	
		((scalar or superscalar or protocol) near5		
		process\$3) and (((signal or vector) near5		
		process\$3) or dsp)) and @ad<19910627) or	ŀ	
		(((synchron\$6 near20 ((common or shar\$3)		
		near5 (memory or storage))) and ((scalar		
		or superscalar or protocol) near5]	
		process\$3) and (((signal or vector) near5		
		process\$3) or dsp)) and @rlad<19910627))		